

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 8193 (2004): 2-Nitro Chlorobenzene [PCD 9: Organic Chemicals Alcohols and Allied Products and Dye Intermediates]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



IS : 8193 - 1976

Indian Standard
**SPECIFICATION FOR
2-NITRO CHLOROBENZENE**

UDC 667.285.1 : 547.548



© Copyright 1976

**INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002**

November 1976

**AMENDMENT NO. 1 MARCH 2002
TO
IS 8193 : 1976 SPECIFICATION FOR
2- NITRO CHLOROBENZENE**

(*Page 3, clause 0.2*) — Insert CAS Registry No. (88-73-3) below the chemical structure.

[*Page 4, Table 1, Sl No.(iv)*] — Insert the following after Sl No. (iv):

(1)	(2)	(3)	(4)
v)	Matter insoluble in methanol, percent by mass, <i>Max</i>	0.2	when tested as per clause 11.3 of IS 5299 : 2001'

(PCD 11)

Reprography Unit, BIS, New Delhi, India

Indian Standard

SPECIFICATION FOR 2-NITRO CHLOROBENZENE

Dye Intermediates Sectional Committee, CDC 46

<i>Chairman</i>	<i>Representing</i>
SHRI RAJENDRA SHANKAR	Indian Dyestuff Industries Ltd, Bombay
<i>Members</i>	
SHRI M. S. TAWAKLAY (<i>Alternate to</i> Shri Rajendra Shankar)	
SHRI P. B. BHATTACHARJEE	Luxmi Narayan Dyestuff & Chemical Works Pvt Ltd, Calcutta
SHRI B. M. BRAHME	Atic Industries Ltd, Bulsar
DR M. M. DESHPANDE	Suhrid Geigy Ltd, Vadodara
SHRI N. G. AMIN (<i>Alternate</i>)	
SHRI JASTINDER SINGH	Directorate General of Technical Development, New Delhi
SHRI G. A. KULKARNI	Amar Dye-Chem Ltd, Bombay
SHRI S. V. DESAI (<i>Alternate</i>)	
SHRI S. M. MEHTA	Atul Products Ltd, Bulsar
SHRI M. V. DESAI (<i>Alternate</i>)	
SHRI Y. R. MEHTA	I C.I. (India) Pvt Ltd, Calcutta
SHRI N. C. BAKSHI (<i>Alternate</i>)	
DR P. N. PANDIT	Hindustan Organic Chemicals Ltd, Rasayani (Maharashtra)
SHRI H. K. VENKATARAMAIAH (<i>Alternate</i>)	
DR R. J. RATHI	Sudarshan Chemical Industries Pvt Ltd, Pune
SHRI K. L. RATHI (<i>Alternate</i>)	
SHRI SANTOKH SINGH	National Chemical Industries Pvt Ltd, New Delhi
SHRI KULWANT SINGH (<i>Alternate</i>)	
DR H. A. SHAH	Development Commissioner, Small Scale Indus- tries, New Delhi
SHRI G. G. SUTAONE (<i>Alternate</i>)	
SHRI S. J. SHAH	Indian Chemical Manufacturers' Association, Calcutta
SHRI M. B. MEHTA (<i>Alternate</i>)	
DR D. R. SRIDHAR	Indian Drugs & Pharmaceuticals Ltd, New Delhi
DR R. N. DHAR (<i>Alternate</i>)	
DR P. V. SUBBRAMANIAM	Colour-Chem Ltd, Bombay
SHRI MUKUND TURAKHIA	The Dyestuffs Manufacturers Association of India, Bombay
SHRI ANIL MEHTA (<i>Alternate</i>)	

(Continued on page 2)

© Copyright 1976

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS : 8193-1976

(Continued from page 1)

Members

SHRI V. G. UPADHYE
DR G. M. SAXENA,
Director (Chem)

Representing

Synthofine Chemicals of India Pvt Ltd, Bombay
Director General, ISI (*Ex-officio Member*)

Secretary

SHRI NARESH K. SHARMA
Deputy Director (Chem), ISI

Panel for Chloronitro Dye Intermediates, CDC 46 : P6

Convener

SHRI G. A. KULKARNI

Amar Dye-Chem Ltd, Bombay

Members

SHRI V. K. ATRE

Hickson & Dadajee Ltd, Bombay

SHRI M. V. DESAI

Atul Products Ltd, Bulsar

DR S. R. G. SARMA (Alternate)

DR P. N. PANDIT

Hindustan Organic Chemicals Ltd, Rasayani
(Maharashtra)

SHRI H. K. VENKATABAMAIAH (Alternate)

SHRI SANTOKH SINGH

National Chemical Industries Pvt Ltd, New Delhi

SHRI KULBIR SINGH (Alternate)

DR P. V. SUBRAMANIAM


Colour-Chem Ltd, Bombay

Indian Standard
**SPECIFICATION FOR
2-NITRO CHLOROBENZENE**

0. FOREWORD

0.1 This Indian Standard was adopted by the Indian Standards Institution on 20 August 1976, after the draft finalized by the Dye Intermediates Sectional Committee had been approved by the Chemical Division Council.

0.2 2-Nitro chlorobenzene ($C_6H_4O_2NCl$), also known as *o*-nitro chlorobenzene, is an important dye intermediate used in the manufacture of dyestuffs and pigments. It is represented by the following structural formula:



2-NITRO CHLOROBENZENE
(Molecular Mass 157.5)

0.3 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS : 2-1960*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard prescribes the requirements and the methods of sampling and test for 2-nitro chlorobenzene.

*Rules for rounding off numerical values (revised).

IS : 8193 - 1976

2. REQUIREMENTS

2.1 Description — The material shall be in the form of greenish yellow crystalline mass of disagreeable odour.

2.2 The material shall also comply with the requirements given in Table 1.

TABLE 1 REQUIREMENTS FOR 2-NITRO CHLOROBENZENE

Sr. No	CHARACTERISTIC	REQUIREMENT	METHOD OF TEST, REF TO CL No. IN APPENDIX A
(1)	(2)	(3)	(4)
i)	Crystallizing point, °C, <i>Min</i>	31.5	A-1
ii)	Assay, percent by mass, <i>Min</i>	99.0	A-2
iii)	Dinitro compounds, percent by mass, <i>Max</i>	0.2	A-2
iv)	4-Nitro chlorobenzene, percent by mass, <i>Max</i>	0.5	A-2

3. PACKING AND MARKING

3.1 Packing — The material shall be packed in steel drums (*see IS : 2552-1970**) or as agreed to between the purchaser and the supplier. The containers shall be securely closed.

3.2 Marking — Each container shall bear legibly and indelibly the following information:

- a) Name of the material;
- b) Name of the manufacturer and his recognized trade-mark, if any;
- c) Batch number;
- d) Tare, net mass and gross mass; and
- e) The minimum cautionary notice worded as under:
' BLOOD POISON. AVOID INHALING DUST. DANGER OF CYANOSIS. '

3.2.1 The containers may also be marked with the ISI Certification Mark.

NOTE — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control, which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

*Specification for steel drums (galvanized and ungalvanized) (*first revision*).

4. SAMPLING

4.1 Representative samples of the material shall be drawn as prescribed in 3 of IS : 5299-1969*.

4.2 Number of Tests

4.2.1 Tests for crystallizing point and assay shall be conducted on each of the individual samples.

4.2.2 Tests for the remaining characteristics, namely, dinitro compounds and 4-nitro chlorobenzene, shall be conducted on the composite sample.

4.3 Criteria for Conformity

4.3.1 *For Individual Samples* — The lot shall be declared as conforming to the requirements of crystallizing point and assay if each of the individual test results satisfies the relevant requirement given in Table 1.

4.3.2 *For Composite Sample* — For declaring the conformity of the lot to the requirements of the characteristics tested on the composite sample (*see 4.2.2*), the test result for each of the characteristics shall satisfy the relevant requirements given in Table 1.

5. TEST METHODS

5.1 Tests shall be carried out according to the methods prescribed in Appendix A, as indicated in col 4 of Table 1.

5.2 **Quality of Reagents** — Unless specified otherwise, pure chemicals and distilled water (*see IS : 1070-1960†*) shall be employed in tests.

NOTE — ' Pure chemicals ' shall mean chemicals that do not contain impurities which affect the results of analysis.

APPENDIX A

(Table 1, and Clause 5.1)

METHODS OF TEST FOR 2-NITRO CHLOROBENZENE

A-1. CRYSTALLIZING POINT

A-1.1 Determine the crystallizing point of the material as prescribed in 7 of IS : 5299-1969*.

*Methods of sampling and tests for dye intermediates.

†Specification for water, distilled quality (*revised*).

IS : 8193 - 1976

A-2. ASSAY, DINITRO COMPOUNDS AND 4-NITRO CHLORO-BENZENE

A-2.0 Outline of the Method — The contents of 2-, 3-, and 4-nitro chlorobenzenes and 2, 4- and 2, 6-dinitro chlorobenzenes are determined by gas chromatographic analysis.

A-2.1 Apparatus

A-2.1.1 Gas Chromatograph — with flame-ionization detector.

A-2.1.2 Potentiometric Strip-Chart Recorder — full scale deflection 1 second.

A-2.1.3 Temperature Programmer

A-2.1.4 Column — made of glass, 2 m long, 6 mm in diameter, and packed with 10 percent Apizon L on 72/85 mesh Celite* or an equivalent material.

A-2.2 Reagents

A-2.2.1 2, 6-Dinitrotoluene — internal standard for dinitro chlorobenzenes.

A-2.2.2 3-Nitrotoluene — internal standard for mononitro chlorobenzenes.

A-2.2.3 Chlorobenzene

A-2.2.4 2-Nitro Chlorobenzene

A-2.2.5 3-Nitro Chlorobenzene

A-2.2.6 4-Nitro Chlorobenzene

A-2.2.7 2, 4-Dinitro Chlorobenzene

A-2.2.8 2, 6-Dinitro Chlorobenzene

A-2.2.9 Acetone — solvent.

A-2.3 Procedure

A-2.3.1 Operating Parameters of Gas Chromatograph

A-2.3.1.1 Injection temperature — 275°C.

A-2.3.1.2 Column temperature — 140°C (isothermal) for mononitro chlorobenzenes and 165°C (programmed) for dinitro chlorobenzenes.

A-2.3.1.3 Carrier gas — nitrogen, 30 ml/min.

A-2.3.1.4 Chart speed — 5 mm/min.

*These are imported chemicals and are available with the fabricators of gas chromatographs and also with the stockists of chemicals.

A-2.3.2 Sample — Dissolve 10 g of the sample in acetone. Add a known mass of the internal standard and make up the volume to 100 ml with acetone. Inject 0.4 microlitre.

A-2.3.3 Calibration Factor — Internal standardization is the method used for calibration of the results of analysis. Make up and chromatograph known mixtures of component 'n' for which the calibration factor is to be determined together with the internal standard plus other components of the sample. The calibration is calculated by the following formula:

$$K_n = \frac{X_n \times A_s}{X_s \times A_n}$$

where

K_n = calibration factor for component 'n' against respective internal standard 's',

X_n = mass percent of component 'n' in the sample,

A_s = peak area for respective internal standard 's',

X_s = mass percent of respective internal standard 's' in the sample, and

A_n = peak area for component 'n'.

A-2.3.4 Interpretation of Chromatogram — Elution order of components is as follows:

- a) Acetone (solvent used),
- b) Chlorobenzene,
- c) 3-Nitrotoluene,
- d) Mononitro chlorobenzenes,
- e) 2, 6-Dinitrotoluene, and
- f) Dinitro chlorobenzenes.

Identification is done with the help of test mixtures.

A-2.4 Calculation

$$\begin{array}{l} \text{Component 'n' in the sample,} \\ \text{percent by mass} \end{array} = \frac{K_n \times A_n \times X_s}{A_s}$$

where

K_n = calibration factor for component 'n' (see A-2.3.3),

A_n = peak area for component 'n',

X_s = mass percent of respective internal standard added to the sample, and

A_s = peak area for respective internal standard.

PUBLICATIONS OF INDIAN STANDARDS INSTITUTION INDIAN STANDARDS

Over 8 500 Indian Standards covering various subjects have been issued so far. Of these, the standards belonging to the Chemical Group fall under the following categories:

Acids	Linters and allied products
Adhesives	Lubricants and related products
Alcohols and allied products	Oil pastes
Alkalis	Oils & fats, oleaginous seeds and fruits
Brushware	Painters' materials (miscellaneous)
Ceramicware, enamelware and laboratory porcelain	Paper and its products
Chemical hazards and safety	Paper and pulp board packaging materials
Chemicals, inorganic (miscellaneous)	Perfumery materials, natural and synthetic
Chemicals, organic (miscellaneous)	Petroleum and petroleum products
Coal and coke	Photographic chemicals
Coal carbonization products	Pigments and extenders
Coated fabrics	Plastics
Cosmetics and toilet goods	Polishes
Dental materials	Printing Inks
Drying oils	Ready mixed paints and enamels
Dye intermediates	Rubber and rubber products
Electroplating chemicals	Soaps and other surface active agents
Explosive and pyrotechnic materials	Tanning materials and allied products
Fertilizers	Thermal insulation materials
Fillers, stoppers and putties	Thinners and solvents
Footwear	Varnishes and lacquers
Glass and glassware	Water and water treatment
Industrial gases	Water based paints
Inks and allied products	Unclassified
Laboratory glassware, thermometers and related apparatus	
Lac and lac products	
Leather, leather goods and leather dressings	

OTHER PUBLICATIONS

ISI Bulletin (Published Every Month)

Single Copy	Rs 4.00
Annual Subscription	Rs 36.00
Standards : Monthly Additions					
Single Copy	Rs 0.30
Annual Subscription	Rs 3.00
Annual Reports (from 1948-49 Onwards)	Rs 2.00 to 6.00
ISI Handbook, 1975	Rs 30.00

INDIAN STANDARDS INSTITUTION

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephone : 27 01 31 (20 lines)

Telegrams : Manaksanstha

Regional Offices:

Western : Novelty Chambers, Grant Road
Eastern : 5 Chowringhee Approach
Southern : C. I. T. Campus, Adyar

BOMBAY 400007 37 97 29
CALCUTTA 700072 23-08 02
MADRAS 600020 41 24 42

Branch Offices:

'Pushpak', Nurmohamed Shaikh Marg, Khanpur
'F' Block, Unity Bldg, Narasimharaja Square
Ahimsa Bldg, SCO 82-83, Sector 17C
5-8-56/57 Nampally Station Road
117/418 B Sarvodaya Nagar
B.C.I. Bldg (3rd Floor), Gandhi Maidan East
Hantex Bldg (2nd Floor), Rly Station Road

AHMADABAD 380001 2 03 91
BANGALORE 560002 2 76 49
CHANDIGARH 160017 2 83 20
HYDERABAD 500001 4 57 11
KANPUR 208005 82 72
PATNA 800004 5 36 55
TRIVANDRUM 695001 32 27

Printed at New India Printing Press, Khurja, India